

Tongue Tie Bibliography

- Abbott, B. D. (1995). Review of the interaction between TCDD and glucocorticoids in embryonic palate. [Review]. *Toxicology*, 105(2-3), 365-373.
- Acevedo, A. C., da Fonseca, J. A., Grinham, J., Doudney, K., Gomes, R. R., de Paula, L. M., & Stanier, P. (2010). Autosomal-dominant ankyloglossia and tooth number anomalies. [Research Support, Non-U.S. Gov't]. *Journal of dental research*, 89(2), 128-132. doi: 10.1177/0022034509356401
- Agarwal, P., & Raina, V. K. (2003). Tongue-tie: an update. [Review]. *Indian pediatrics*, 40(5), 404-405.
- Algar, V. (2009). Question 2. Should an infant who is breastfeeding poorly and has a tongue tie undergo a tongue tie division? [Review]. *Archives of disease in childhood*, 94(11), 911-912. doi: 10.1136/adc.2009.163428
- Alghadir, A. H., Zafar, H., & Iqbal, Z. A. (2015). Effect of tongue position on postural stability during quiet standing in healthy young males. *Somatosens Mot Res*, 32(3), 183-186.
- Alves Cde, O., Duarte, E. D., Azevedo, V. M., Nascimento, G. R., & Tavares, T. S. (2011). [Use of sweet solutions for neonatal pain relief in premature newborns: an integrative review]. [Review]. *Revista gaucha de enfermagem / EENFUFGRS*, 32(4), 788-796.
- Amir, L. H., James, J. P., & Beatty, J. (2005). Review of tongue-tie release at a tertiary maternity hospital. *Journal of paediatrics and child health*, 41(5-6), 243-245. doi: 10.1111/j.1440-1754.2005.00603.x
- Amir, L. H., James, J. P., Kelso, G., & Moorhead, A. M. (2011). Accreditation of midwife lactation consultants to perform infant tongue-tie release. *Int J Nurs Pract*, 17(6), 541-547. doi: 10.1111/j.1440-172X.2011.01969.x
- Andrade, N. N., & Raikwar, K. (2010). Congenital benign teratoma of the tongue with bifid tip, ankyloglossia and polydactyly: report of a case. [Case Reports]. *The British journal of oral & maxillofacial surgery*, 48(6), e29-30. doi: 10.1016/j.bjoms.2010.05.008
- Andreou, A. M., Pauws, E., Jones, M. C., Singh, M. K., Bussen, M., Doudney, K., . . . Stanier, P. (2007). TBX22 missense mutations found in patients with X-linked cleft palate affect DNA binding, sumoylation, and transcriptional repression. [Research Support, Non-U.S. Gov't]. *American journal of human genetics*, 81(4), 700-712. doi: 10.1086/521033
- Aras, M. H., Goregen, M., Gungormus, M., & Akgul, H. M. (2010). Comparison of diode laser and Er:YAG lasers in the treatment of ankyloglossia. [Comparative Study]. *Photomedicine and laser surgery*, 28(2), 173-177. doi: 10.1089/pho.2009.2498
- Argiris, K., Vasani, S., Wong, G., Stimpson, P., Gunning, E., & Caulfield, H. (2011). Audit of tongue-tie division in neonates with breastfeeding difficulties: how we do it. [Comparative Study]. *Clin Otolaryngol*, 36(3), 256-260. doi: 10.1111/j.1749-4486.2011.02278.x
- Arnold, A. P. (2009). *Rhythm and Touch: the Fundamentals of Craniosacral Therapy*. Berkeley, Calif.: North Atlantic Books.
- Arvedson, J. C., & Brodsky, L. (2002). *Pediatric swallowing and feeding : assessment and management* (2nd ed.). Australia ; Albany, NY: Singular Thomson Learning.
- Ayers, F. J., & Hilton, L. M. (1977). Treatment of ankyloglossia: report of case. [Case Reports]. *ASDC journal of dentistry for children*, 44(3), 237-239.
- Ballard, J. L., Auer, C. E., & Khoury, J. C. (2002). Ankyloglossia: assessment, incidence, and effect of frenuloplasty on the breastfeeding dyad. [Comparative Study Research Support, Non-U.S. Gov't]. *Pediatrics*, 110(5), e63.

- Barakzai, S. Z., Finnegan, C., & Boden, L. A. (2009). Effect of 'tongue tie' use on racing performance of thoroughbreds in the United Kingdom. [Research Support, Non-U.S. Gov't]. *Equine veterinary journal*, *41*(8), 812-816.
- Barbul, A., Lazarou, S. A., Efron, D. T., Wasserkrug, H. L., & Efron, G. (1990). Arginine enhances wound healing and lymphocyte immune responses in humans. [Clinical Trial Randomized Controlled Trial Research Support, Non-U.S. Gov't]. *Surgery*, *108*(2), 331-336; discussion 336-337.
- Beard, W. L., Holcombe, S. J., & Hinchcliff, K. W. (2001). Effect of a tongue-tie on upper airway mechanics during exercise following sternothyrohyoid myectomy in clinically normal horses. [Research Support, Non-U.S. Gov't]. *American journal of veterinary research*, *62*(5), 779-782.
- Beckman, D. (2013). *Beckman Oral Motor Assessment and Intervention*. Paper presented at the Beckman Oral Motor Assessment and Intervention, Seattle, Washington.
- Beltrame, A., & Favero, G. A. (1989). [Ankyloglossia in pedodontics: diagnostic outline and therapeutic intervention]. [Review]. *Giornale di stomatologia e di ortognatodonzia*, *8*(3), 9-13.
- Berg, K. L. (1990). Tongue-tie (ankyloglossia) and breastfeeding: a review. [Review]. *Journal of human lactation : official journal of International Lactation Consultant Association*, *6*(3), 109-112.
- Berg, K. L. (1990). Two cases of tongue-tie and breastfeeding. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, *6*(3), 124-126.
- Berry, J., Griffiths, M., & Westcott, C. (2012). A double-blind, randomized, controlled trial of tongue-tie division and its immediate effect on breastfeeding. [Randomized Controlled Trial]. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, *7*(3), 189-193. doi: 10.1089/bfm.2011.0030
- Bhatt, A. P. (1985). Case of the month. Tongue-tie. [Case Reports]. *Journal of the Indian Dental Association*, *57*(9), inside front cover.
- Biourge, A. (1971). [Ankyloglossia due to shortness of the lingual frenum]. *L' Orthodontie française*, *42*, 183-185.
- Bjornsson, A., Arnason, A., & Tippet, P. (1989). X-linked cleft palate and ankyloglossia in an Icelandic family. *The Cleft palate journal*, *26*(1), 3-8.
- Block, J. R. (1968). The role of the speech clinician in determining indications for frenulotomy in cases of ankyloglossia. *The New York state dental journal*, *34*(8), 479-481.
- Bong, C. L., Hilliard, J., & Seefelder, C. (2009). Severe methemoglobinemia from topical benzocaine 7.5% (baby orajel) use for teething pain in a toddler. [Case Reports]. *Clinical pediatrics*, *48*(2), 209-211. doi: 10.1177/0009922808324491
- Boo-Chai, K. (1963). The Tongue Tie. *Singapore medical journal*, *3*, 84-85.
- Braybrook, C., Doudney, K., Marcano, A. C., Arnason, A., Bjornsson, A., Patton, M. A., . . . Stanier, P. (2001). The T-box transcription factor gene TBX22 is mutated in X-linked cleft palate and ankyloglossia. [Research Support, Non-U.S. Gov't]. *Nature genetics*, *29*(2), 179-183. doi: 10.1038/ng730
- Braybrook, C., Lisgo, S., Doudney, K., Henderson, D., Marcano, A. C., Strachan, T., . . . Lindsay, S. (2002). Craniofacial expression of human and murine TBX22 correlates with the cleft palate and ankyloglossia phenotype observed in CPX patients. [Comparative

- Study Research Support, Non-U.S. Gov't]. *Human molecular genetics*, 11(22), 2793-2804.
- Braybrook, C., Warry, G., Howell, G., Arnason, A., Bjornsson, A., Moore, G. E., . . . Stanier, P. (2001). Identification and characterization of KLHL4, a novel human homologue of the *Drosophila* Kelch gene that maps within the X-linked cleft palate and Ankyloglossia (CPX) critical region. [Research Support, Non-U.S. Gov't]. *Genomics*, 72(2), 128-136. doi: 10.1006/geno.2000.6478
- Braybrook, C., Warry, G., Howell, G., Mandryko, V., Arnason, A., Bjornsson, A., . . . Stanier, P. (2001). Physical and transcriptional mapping of the X-linked cleft palate and ankyloglossia (CPX) critical region. [Research Support, Non-U.S. Gov't]. *Human genetics*, 108(6), 537-545.
- Breward, S. (2006). Tongue tie and breastfeeding: assessing and overcoming the difficulties. [Review]. *Community practitioner : the journal of the Community Practitioners' & Health Visitors' Association*, 79(9), 298-299.
- Brill, A., Torchinsky, A., Carp, H., & Toder, V. (1999). The role of apoptosis in normal and abnormal embryonic development. [Research Support, Non-U.S. Gov't Review]. *J Assist Reprod Genet*, 16(10), 512-519.
- Brinkmann, S., Reilly, S., & Meara, J. G. (2004). Management of tongue-tie in children: a survey of paediatric surgeons in Australia. [Research Support, Non-U.S. Gov't]. *Journal of paediatrics and child health*, 40(11), 600-605. doi: 10.1111/j.1440-1754.2004.00483.x
- Brown, K. L., & Phillips, T. J. (2010). Nutrition and wound healing. *Clin Dermatol*, 28(4), 432-439. doi: 10.1016/j.clindermatol.2010.03.028
- Buryk, M., Bloom, D., & Shope, T. (2011). Efficacy of neonatal release of ankyloglossia: a randomized trial. *Pediatrics*, 128(2), 280-288. doi: 10.1542/peds.2011-0077
- Castro, M. (1993). *Homeopathy for Pregnancy, Birth, and Your Baby's First Year* (1st U.S. ed.). New York: St. Martin's Press.
- Catlin, F. I. (1971). Tongue-tie. [Review]. *Archives of otolaryngology*, 94(6), 548-557.
- Chaubey, K. K., Arora, V. K., Thakur, R., & Narula, I. S. (2011). Perio-esthetic surgery: Using LPF with frenectomy for prevention of scar. *J Indian Soc Periodontol*, 15(3), 265-269. doi: 10.4103/0972-124X.85672
- Chidzonga, M. M., Lopez Perez, V. M., & Mzezewa, S. (1996). Treatment of median cleft of the lower lip, mandible, and bifid tongue with ankyloglossia. A case report. [Case Reports]. *International journal of oral and maxillofacial surgery*, 25(4), 272-273.
- Chidzonga, M. M., & Shija, J. K. (1988). Congenital median cleft of the lower lip, bifid tongue with ankyloglossia, cleft palate, and submental epidermoid cyst: report of a case. [Case Reports]. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*, 46(9), 809-812.
- Chinnadurai, S., Francis, D. O., Epstein, R. A., Morad, A., Kohanim, S., & McPheeters, M. (2015). Treatment of ankyloglossia for reasons other than breastfeeding: a systematic review. [Research Support, U.S. Gov't, P.H.S. Review]. *Pediatrics*, 135(6), e1467-1474. doi: 10.1542/peds.2015-0660
- Cho, A., Kelsberg, G., & Safranek, S. (2010). Clinical inquiries. When should you treat tongue-tie in a newborn? [Review]. *The Journal of family practice*, 59(12), 712a-b.
- Chu, M. W., & Bloom, D. C. (2009). Posterior ankyloglossia: a case report. [Case Reports]. *International journal of pediatric otorhinolaryngology*, 73(6), 881-883. doi: 10.1016/j.ijporl.2009.02.011

- Cignacco, E., Axelin, A., Stoffel, L., Sellam, G., Anand, K., & Engberg, S. (2010). Facilitated tucking as a non-pharmacological intervention for neonatal pain relief: is it clinically feasible? *Acta paediatrica*, 99(12), 1763-1765. doi: 10.1111/j.1651-2227.2010.01941.x
- Cinar, F., & Onat, N. (2005). Prevalence and consequences of a forgotten entity: ankyloglossia. [Letter]. *Plastic and reconstructive surgery*, 115(1), 355-356.
- Cole, M., & Ghaheri, B. (2012, 11/19/12). The basics of tongue and lip tie: related issues, assessment and treatment, from <http://theleakyboob.com/2012/11/the-basics-of-tongue-and-lip-tie-related-issues-assessment-and-treatment/#comment-48837>
- Cole, M., & Ghaheri, B. (2012). General Information about Frenulum Procedures for the Infant (pp. 2).
- Conway, A. (1990). Ankyloglossia--to snip or not to snip: is that the question? [Editorial]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 101-102.
- Cornelisse, C. J., Holcombe, S. J., Derksen, F. J., Berney, C., & Jackson, C. A. (2001). Effect of a tongue-tie on upper airway mechanics in horses during exercise. *American journal of veterinary research*, 62(5), 775-778.
- Cornelisse, C. J., Rosenstein, D. S., Derksen, F. J., & Holcombe, S. J. (2001). Computed tomographic study of the effect of a tongue-tie on hyoid apparatus position and nasopharyngeal dimensions in anesthetized horses. *American journal of veterinary research*, 62(12), 1865-1869.
- Coryllos, E., Genna, C. W., & Salloum, A. C. (2004). *Congenital tongue-tie and its impact on breastfeeding*. Retrieved from <http://www2.aap.org/breastfeeding/files/pdf/bbm-8-27%20Newsletter.pdf>.
- Cosack, G. (1953). [Congenital palatal ankyloglossia as the dominant member of a complex of multiple abnormalities; on the pathogenesis of ankyloglossia superior]. *Zeitschrift fur Kinderheilkunde*, 72(3), 240-257.
- Cunha, R. F., Silva, J. Z., & Faria, M. D. (2008). Clinical approach of ankyloglossia in babies: report of two cases. [Case Reports Research Support, Non-U.S. Gov't]. *The Journal of clinical pediatric dentistry*, 32(4), 277-281.
- Dahan, J. (1969). [Ankyloglossia and its effect on the development of anomalies in the position of the teeth and jaws. Diagnosis and therapy]. *Revue francaise d'odonto-stomatologie*, 16(2), 213-222.
- Davis, R. H., Leitner, M. G., Russo, J. M., & Byrne, M. E. (1989). Wound healing. Oral and topical activity of Aloe vera. *J Am Podiatr Med Assoc*, 79(11), 559-562.
- Defabianis, P. (2000). Ankyloglossia and its influence on maxillary and mandibular development. (A seven year follow-up case report). [Case Reports]. *The Functional orthodontist*, 17(4), 25-33.
- Demirgunes, E. F., Ersoy-Evans, S., & Karaduman, A. (2009). GAPO syndrome with the novel features of pulmonary hypertension, ankyloglossia, and prognathism. [Case Reports]. *American journal of medical genetics. Part A*, 149A(4), 802-805. doi: 10.1002/ajmg.a.32686
- Dhooria, H. S., & Padmahabhan, L. S. (1982). Midline cleft of the mandible, lower lip and ankyloglossia. (A case report). [Case Reports]. *Journal of the Indian Dental Association*, 54(8), 289-290.

- Din, S. U. (2003). Atypical tongue-tie due to congenital tongue-palate fusion. [Case Reports]. *Journal of the College of Physicians and Surgeons--Pakistan : JCPSP*, 13(8), 459-460. doi: 08.2003/JCPSP.459460
- Dollberg, S., & Botzer, E. (2011). [Neonatal tongue-tie: myths and science]. *Harefuah*, 150(1), 46-49, 67.
- Dollberg, S., Botzer, E., Grunis, E., & Mimouni, F. B. (2006). Immediate nipple pain relief after frenotomy in breast-fed infants with ankyloglossia: a randomized, prospective study. [Randomized Controlled Trial]. *Journal of pediatric surgery*, 41(9), 1598-1600. doi: 10.1016/j.jpedsurg.2006.05.024
- Dollberg, S., Manor, Y., Makai, E., & Botzer, E. (2011). Evaluation of speech intelligibility in children with tongue-tie. *Acta paediatrica*, 100(9), e125-127. doi: 10.1111/j.1651-2227.2011.02265.x
- Douniau, D. (1969). [Ankyloglossia. Surgical therapy and results]. *La Revue stomatodontologique du nord de la France*, 24(93), 13-18.
- Dryden, S. V., Shoemaker, W. G., & Kim, J. H. (2013). Wound management and nutrition for optimal wound healing. *Atlas Oral Maxillofac Surg Clin North Am*, 21(1), 37-47. doi: 10.1016/j.cxom.2012.12.008
- Dumas, P., Freidel, M., & Trepsat, F. (1977). [The labial scar of hare lip. Technic and usefulness of early and prolonged postoperative massage]. *Journal francais d'oto-rhino-laryngologie, audio-phonologie et chirurgie maxillo-faciale*, 26(9), 679-681.
- Dunn, P. M. (2006). Tongue-tie and infant feeding. [Comment Letter]. *Archives of disease in childhood*, 91(12), 1042.
- Edmunds, J., Hazelbaker, A., Murphy, J. G., & Philipp, B. L. (2012). Roundtable discussion: tongue-tie. *Journal of human lactation : official journal of International Lactation Consultant Association*, 28(1), 14-17. doi: 10.1177/0890334411428588
- Edmunds, J., Hazelbaker, A., Murphy, J. G., & Philipp, B. L. (2012). Tongue-tie. [Clinical Conference]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 28(1), 14-17. doi: 10.1177/0890334411428588
- Edmunds, J., Miles, S. C., & Fulbrook, P. (2011). Tongue-tie and breastfeeding: a review of the literature. [Review]. *Breastfeeding review : professional publication of the Nursing Mothers' Association of Australia*, 19(1), 19-26.
- Edmunds, J. E., Fulbrook, P., & Miles, S. (2013). Understanding the experiences of mothers who are breastfeeding an infant with tongue-tie: a phenomenological study. *Journal of human lactation : official journal of International Lactation Consultant Association*, 29(2), 190-195. doi: 10.1177/0890334413479174
- Efe, E., & Ozer, Z. C. (2007). The use of breast-feeding for pain relief during neonatal immunization injections. [Randomized Controlled Trial Research Support, Non-U.S. Gov't]. *Applied nursing research : ANR*, 20(1), 10-16. doi: 10.1016/j.apnr.2005.10.005
- Eriksson, M., & Finnstrom, O. (2004). Can daily repeated doses of orally administered glucose induce tolerance when given for neonatal pain relief? [Clinical Trial Randomized Controlled Trial Research Support, Non-U.S. Gov't]. *Acta paediatrica*, 93(2), 246-249.
- Esquivel Cooper, J. L. (1969). [Ankyloglossia in twin brothers]. *Revista espanola de estomatologia*, 17(3), 227-230.
- Ewart, N. P. (1990). A lingual mucogingival problem associated with ankyloglossia: a case report. [Case Reports]. *The New Zealand dental journal*, 86(383), 16-17.

- Fanibunda, K., & Adams, A. (1998). Are the features of ankyloglossia limited to the lingual fraenum? [Case Reports]. *Dental update*, 25(7), 296-297.
- Fernando, C. (1998). *Tongue Tie: From Confusion to Clarity*. Sydney, Australia: Tandem Publications.
- Fernando, C. (2007). Tongue Tie: From Confusion to Clarity Retrieved 1/30/15, 2015, from http://www.tonguetie.net/index.php?option=com_content&task=view&id=3&Itemid=1
- Fiorotti, R. C., Bertolini, M. M., Nicola, J. H., & Nicola, E. M. (2004). Early lingual frenectomy assisted by CO2 laser helps prevention and treatment of functional alterations caused by ankyloglossia. [Evaluation Studies Research Support, Non-U.S. Gov't]. *The International journal of orofacial myology : official publication of the International Association of Orofacial Myology*, 30, 64-71.
- Fitz-Desorgher, R. (2003). All tied up. Tongue tie and its implications for breastfeeding. [Review]. *The practising midwife*, 6(1), 20-22.
- Fleiss, P. M., Burger, M., Ramkumar, H., & Carrington, P. (1990). Ankyloglossia: a cause of breastfeeding problems? [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 128-129.
- Forbes, S. A., Brennan, L., Richardson, M., Coffey, A., Cole, C. G., Gregory, S. G., . . . Stanier, P. (1996). Refined mapping and YAC contig construction of the X-linked cleft palate and ankyloglossia locus (CPX) including the proximal X-Y homology breakpoint within Xq21.3. [Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *Genomics*, 31(1), 36-43. doi: 10.1006/geno.1996.0006
- Forbes, S. A., Richardson, M., Brennan, L., Arnason, A., Bjornsson, A., Campbell, L., . . . Stanier, P. (1995). Refinement of the X-linked cleft palate and ankyloglossia (CPX) localisation by genetic mapping in an Icelandic kindred. [Research Support, Non-U.S. Gov't]. *Human genetics*, 95(3), 342-346.
- Forlenza, G. P., Paradise Black, N. M., McNamara, E. G., & Sullivan, S. E. (2010). Ankyloglossia, exclusive breastfeeding, and failure to thrive. [Case Reports]. *Pediatrics*, 125(6), e1500-1504. doi: 10.1542/peds.2009-2101
- Francis, D. O., Krishnaswami, S., & McPheeters, M. (2015). Treatment of ankyloglossia and breastfeeding outcomes: a systematic review. [Research Support, U.S. Gov't, P.H.S. Review]. *Pediatrics*, 135(6), e1458-1466. doi: 10.1542/peds.2015-0658
- Franklin, S. H., Naylor, J. R., & Lane, J. G. (2002). The effect of a tongue-tie in horses with dorsal displacement of the soft palate. *Equine veterinary journal. Supplement*(34), 430-433.
- Frantz, F. W., Bettinger, D. A., Haynes, J. H., Johnson, D. E., Harvey, K. M., Dalton, H. P., . . . Cohen, I. K. (1993). Biology of fetal repair: the presence of bacteria in fetal wounds induces an adult-like healing response. [Research Support, U.S. Gov't, P.H.S.]. *Journal of pediatric surgery*, 28(3), 428-433; discussion 433-424.
- Fronza, M., Heinzmann, B., Hamburger, M., Laufer, S., & Merfort, I. (2009). Determination of the wound healing effect of Calendula extracts using the scratch assay with 3T3 fibroblasts. [Research Support, Non-U.S. Gov't]. *J Ethnopharmacol*, 126(3), 463-467. doi: 10.1016/j.jep.2009.09.014
- Froom, S. R., & Stewart, J. (2007). Novel local anaesthetic analgesic technique for tongue-tie. [Letter]. *Anaesthesia*, 62(1), 97. doi: 10.1111/j.1365-2044.2006.04926.x
- Geddes, D. T., Kent, J. C., McClellan, H. L., Garbin, C. P., Chadwick, L. M., & Hartmann, P. E. (2010). Sucking characteristics of successfully breastfeeding infants with ankyloglossia: a

- case series. [Case Reports Research Support, Non-U.S. Gov't]. *Acta paediatrica*, 99(2), 301-303. doi: 10.1111/j.1651-2227.2009.01577.x
- Geddes, D. T., Langton, D. B., Gollow, I., Jacobs, L. A., Hartmann, P. E., & Simmer, K. (2008). Frenulotomy for breastfeeding infants with ankyloglossia: effect on milk removal and sucking mechanism as imaged by ultrasound. *Pediatrics*, 122(1), e188-194. doi: 10.1542/peds.2007-2553
- Genna, C. W., & Coryllos, E. V. (2009). Breastfeeding and tongue-tie. [Patient Education Handout]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 25(1), 111-112. doi: 10.1177/08903344090250011501
- Ghaheri, B. A., Cole, M., Fausel, S. C., Chuop, M., & Mace, J. C. (2016). Breastfeeding improvement following tongue-tie and lip-tie release: A prospective cohort study. *The Laryngoscope*, n/a-n/a. doi: 10.1002/lary.26306
- Gibbins, S., & Stevens, B. (2001). Mechanisms of sucrose and non-nutritive sucking in procedural pain management in infants. [Research Support, Non-U.S. Gov't Review]. *Pain Res Manag*, 6(1), 21-28.
- Glynn, R. W., Colreavy, M., Rowley, H., & Gendy, S. (2012). Division of tongue tie: review of practice through a tertiary paediatric otorhinolaryngology service. *International journal of pediatric otorhinolaryngology*, 76(10), 1434-1436. doi: 10.1016/j.ijporl.2012.06.017
- Goracci, G., Cantatore, G., Polsinelli, C., & Negri, P. L. (1984). [Ankyloglossia: etiopathogenetic aspects and clinical evaluation]. [Case Reports]. *Rivista italiana di stomatologia*, 53(9), 615-619.
- Gorski, S. M., Adams, K. J., Birch, P. H., Chodirker, B. N., Greenberg, C. R., & Goodfellow, P. J. (1994). Linkage analysis of X-linked cleft palate and ankyloglossia in Manitoba Mennonite and British Columbia Native kindreds. [Research Support, Non-U.S. Gov't]. *Human genetics*, 94(2), 141-148.
- Gray, C. (2010). *Craniosacral Therapy for Infants*. Paper presented at the Craniosacral Therapy for Infants, Portland, Oregon.
- Grundmann, S., & Hofmann, A. (2006). [Ankyloglossia in an Anatolian Shepherd dog]. [Case Reports]. *Schweizer Archiv fur Tierheilkunde*, 148(8), 417-420.
- Haanen, C., & Vermes, I. (1996). Apoptosis: programmed cell death in fetal development. [Review]. *European journal of obstetrics, gynecology, and reproductive biology*, 64(1), 129-133.
- Haenig, B., Schmidt, C., Kraus, F., Pfordt, M., & Kispert, A. (2002). Cloning and expression analysis of the chick ortholog of TBX22, the gene mutated in X-linked cleft palate and ankyloglossia. *Mechanisms of development*, 117(1-2), 321-325.
- Hall, D. M., & Renfrew, M. J. (2005). Tongue tie. [Review]. *Archives of disease in childhood*, 90(12), 1211-1215. doi: 10.1136/adc.2005.077065
- Hallam, M. J., Shirley, R., Dheansa, B., & Coker, O. (2009). Scar massage therapy: a new technique. [Case Reports Letter]. *J Wound Care*, 18(6), 258.
- Hamamci, N., Ozer, T., Hamamci, O., Tumen, E. C., & Agackiran, E. (2010). Treatment of an adolescent with total ankyloglossia. *World journal of orthodontics*, 11(3), 278-283.
- Hansen, R., MacKinlay, G. A., & Manson, W. G. (2006). Ankyloglossia intervention in outpatients is safe: our experience. [Comment Letter]. *Archives of disease in childhood*, 91(6), 541-542; author reply 542. doi: 10.1136/adc.2005.093245
- Harris, E. F., Friend, G. W., & Tolley, E. A. (1992). Enhanced prevalence of ankyloglossia with maternal cocaine use. *The Cleft palate-craniofacial journal : official publication of the*

- American Cleft Palate-Craniofacial Association*, 29(1), 72-76. doi: 10.1597/1545-1569(1992)029<0072:EPOAWM>2.3.CO;2
- Harrison, D., Beggs, S., & Stevens, B. (2012). Sucrose for procedural pain management in infants. [Research Support, Non-U.S. Gov't Review]. *Pediatrics*, 130(5), 918-925. doi: 10.1542/peds.2011-3848
- Harrison, D., Yamada, J., & Stevens, B. (2010). Strategies for the prevention and management of neonatal and infant pain. [Review]. *Current pain and headache reports*, 14(2), 113-123. doi: 10.1007/s11916-009-0091-0
- Hasan, N. (1973). Tongue tie as a cause of deformity of lower central incisor. *Journal of pediatric surgery*, 8(6), 985.
- Hatherly, P. (2004). *The Homeopathic Physician's Guide to Lactation*. Chapel Hill, Queensland: Luminoz Pty Ltd.
- Haytac, M. C., & Ozcelik, O. (2006). Evaluation of Patient Perceptions After Frenectomy Operations: A Comparison of Carbon Dioxide Laser and Scalpel Techniques. *Journal of periodontology*, 77(11), 1815-1819. doi: 10.1902/jop.2006.060043
- Hazelbaker, A. K. (2005). Newborn tongue-tie and breast-feeding. [Comment Letter]. *The Journal of the American Board of Family Practice / American Board of Family Practice*, 18(4), 326; author reply 326-327.
- Heaton, P., & Herd, D. (2000). Neonatal pain relief. [Comment Letter]. *Archives of disease in childhood. Fetal and neonatal edition*, 83(1), F77-78.
- Heaton, P., Herd, D., & Fernando, A. (2007). Pain relief for simple procedures in New Zealand neonatal units: practice change over six years. *Journal of paediatrics and child health*, 43(5), 394-397. doi: 10.1111/j.1440-1754.2007.01086.x
- Heller, J., Gabbay, J., O'Hara, C., Heller, M., & Bradley, J. P. (2005). Improved ankyloglossia correction with four-flap Z-frenuloplasty. *Annals of plastic surgery*, 54(6), 623-628.
- Hermans, A. G. (1953). [Dominant heredity of ankyloglossia]. *Nederlands tijdschrift voor geneeskunde*, 97(22), 1413-1414.
- Hillan, R. (2008). Division of tongue tie: wicked and barbaric? *The practising midwife*, 11(10), 22-25.
- Hingley, G. (1990). Ankyloglossia clipping and breast feeding. [Case Reports Letter]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 103.
- Hitchin, A. D., & Smith, G. A. (1970). The sequelae in a case of sublingual dermoid cyst with ankyloglossia. *The British journal of oral surgery*, 8(2), 175-178.
- Hogan, M., Westcott, C., & Griffiths, M. (2005). Randomized, controlled trial of division of tongue-tie in infants with feeding problems. [Clinical Trial Comparative Study Randomized Controlled Trial]. *Journal of paediatrics and child health*, 41(5-6), 246-250. doi: 10.1111/j.1440-1754.2005.00604.x
- Hong, P. (2013). Five things to know about...ankyloglossia (tongue-tie). [Review]. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*, 185(2), E128. doi: 10.1503/cmaj.120785
- Hong, P., Lago, D., Seargeant, J., Pellman, L., Magit, A. E., & Pransky, S. M. (2010). Defining ankyloglossia: a case series of anterior and posterior tongue ties. *International journal of pediatric otorhinolaryngology*, 74(9), 1003-1006. doi: 10.1016/j.ijporl.2010.05.025
- Horton, C. E., Crawford, H. H., Adamson, J. E., & Ashbell, T. S. (1969). Tongue-tie. *The Cleft palate journal*, 6, 8-23.

- Howard, F. M., Howard, C. R., Fortune, K., Generelli, P., Zolnoun, D., & tenHoopen, C. (1998). A randomized, placebo-controlled comparison of EMLA() and dorsal penile nerve block for pain relief during neonatal circumcision. *Prim Care Update Ob Gyns*, 5(4), 196.
- Huggins, K. (1990). Ankyloglossia--one lactation consultant's personal experience. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 123-124.
- Hussey, H. H. (1974). Editorial: Tongue-tie. *JAMA : the journal of the American Medical Association*, 228(6), 735.
- Itoh, S. (1988). [Clinical study on speech disorders and speech therapy of ankyloglossia]. *Kokubyo Gakkai zasshi. The Journal of the Stomatological Society, Japan*, 55(1), 159-184.
- Jackson, R. (2012). Improving breastfeeding outcomes: the impact of tongue-tie. [Research Support, Non-U.S. Gov't]. *Community practitioner : the journal of the Community Practitioners' & Health Visitors' Association*, 85(6), 42-44.
- Jain, E. (1995). Tongue-tie: its impact on breastfeeding. *AARN news letter*, 51(5), 18.
- Jang, S.-J., Cha, B.-K., Ngan, P., Choi, D.-S., Lee, S.-K., & Jang, I. (2011). Relationship between the lingual frenulum and craniofacial morphology in adults. *American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics*, 139(4), e361-e367.
- Johnston, J. J., & Shetty, S. (2013). Families burdened by the cost of tongue-tie division. [Letter]. *N Z Med J*, 126(1371), 100-103.
- Jones, S. E., & Derrick, G. M. (1998). Difficult intubation in an infant with Pierre Robin syndrome and concomitant tongue tie. [Case Reports]. *Paediatric anaesthesia*, 8(6), 510-511.
- Kalu, P. U., & Moss, A. L. (2004). An unusual case of Ankyloglossia Superior. [Case Reports Review]. *British journal of plastic surgery*, 57(6), 579-581. doi: 10.1016/j.bjps.2003.12.008
- Kantaputra, P. N., Paramee, M., Kaewkhampa, A., Hoshino, A., Lees, M., McEntagart, M., . . . Stanier, P. (2011). Cleft lip with cleft palate, ankyloglossia, and hypodontia are associated with TBX22 mutations. [Comparative Study Research Support, Non-U.S. Gov't]. *Journal of dental research*, 90(4), 450-455. doi: 10.1177/0022034510391052
- Karabulut, R., Sonmez, K., Turkyilmaz, Z., Demirogullari, B., Ozen, I. O., Bagbanci, B., . . . Basaklar, A. C. (2008). Ankyloglossia and effects on breast-feeding, speech problems and mechanical/social issues in children. [Comparative Study]. *B-ENT*, 4(2), 81-85.
- Karahan, S., & Kul, B. C. (2009). Ankyloglossia in dogs: a morphological and immunohistochemical study. [Research Support, Non-U.S. Gov't]. *Anatomia, histologia, embryologia*, 38(2), 118-121. doi: 10.1111/j.1439-0264.2008.00907.x
- Kaufman, E., & Lamster, I. B. (2000). Analysis of saliva for periodontal diagnosis--a review. [Review]. *J Clin Periodontol*, 27(7), 453-465.
- Keizer, D. P. (1952). [Dominantly hereditary ankyloglossia]. *Nederlands tijdschrift voor geneeskunde*, 96(36), 2203-2205.
- Kemper, K. J., Vohra, S., Walls, R., Complementary, t. T. F. o., Medicine, A., the Provisional Section on Complementary, H., & Medicine, I. (2008). The Use of Complementary and Alternative Medicine in Pediatrics. *Pediatrics*, 122(6), 1374-1386. doi: 10.1542/peds.2008-2173

- Kern, I. (1991). Tongue tie. [Review]. *The Medical journal of Australia*, 155(1), 33-34.
- Ketty, N., & Sciullo, P. A. (1974). Ankyloglossia with psychological implications. [Case Reports]. *ASDC journal of dentistry for children*, 41(1), 43-46.
- Khoo, A. K., Dabbas, N., Sudhakaran, N., Ade-Ajayi, N., & Patel, S. (2009). Nipple pain at presentation predicts success of tongue-tie division for breastfeeding problems. *European journal of pediatric surgery : official journal of Austrian Association of Pediatric Surgery ... [et al] = Zeitschrift fur Kinderchirurgie*, 19(6), 370-373. doi: 10.1055/s-0029-1234041
- Klockars, T. (2007). Familial ankyloglossia (tongue-tie). [Case Reports Research Support, Non-U.S. Gov't]. *International journal of pediatric otorhinolaryngology*, 71(8), 1321-1324. doi: 10.1016/j.ijporl.2007.05.018
- Klockars, T., Kytanen, S., & Ellonen, P. (2012). TBX22 and Tongue-Tie. *The Cleft palate-craniofacial journal : official publication of the American Cleft Palate-Craniofacial Association*, 49(3), 378-379. doi: 10.1597/11-114
- Klockars, T., & Pitkaranta, A. (2009). Inheritance of ankyloglossia (tongue-tie). [Letter Research Support, Non-U.S. Gov't]. *Clinical genetics*, 75(1), 98-99. doi: 10.1111/j.1399-0004.2008.01096.x
- Klockars, T., & Pitkaranta, A. (2009). Pediatric tongue-tie division: indications, techniques and patient satisfaction. [Comparative Study Research Support, Non-U.S. Gov't]. *International journal of pediatric otorhinolaryngology*, 73(10), 1399-1401. doi: 10.1016/j.ijporl.2009.07.004
- Ko, W. J., Na, Y. C., Suh, B. S., Kim, H. A., Heo, W. H., Choi, G. H., & Lee, S. U. (2013). The effects of topical agent (kelo-cote or contractubex) massage on the thickness of post-burn scar tissue formed in rats. *Arch Plast Surg*, 40(6), 697-704. doi: 10.5999/aps.2013.40.6.697
- Kothari, P. R., & Gupta, A. (2005). Ankyloglossia superior. [Case Reports Letter]. *Indian pediatrics*, 42(12), 1249.
- Kotlow, L. (2011). Diagnosis and treatment of ankyloglossia and tied maxillary fraenum in infants using Er:YAG and 1064 diode lasers. *European archives of paediatric dentistry : official journal of the European Academy of Paediatric Dentistry*, 12(2), 106-112.
- Kotlow, L. (2011). Infant Reflux and Aerophagia Associated with the Maxillary Lip-tie and Ankyloglossia (Tongue-tie). *Clinical Lactation*, 2(4), 25-29.
- Kotlow, L. A. (1999). Ankyloglossia (tongue-tie): a diagnostic and treatment quandary. *Quintessence international*, 30(4), 259-262.
- Kotlow, L. A. (2010). The influence of the maxillary frenum on the development and pattern of dental caries on anterior teeth in breastfeeding infants: prevention, diagnosis, and treatment. *Journal of human lactation : official journal of International Lactation Consultant Association*, 26(3), 304-308. doi: 10.1177/0890334410362520
- Kotlow, L. A. (2013). Diagnosing and Understanding the Maxillary Lip-tie (Superior Labial, the Maxillary Labial Frenum) as it Relates to Breastfeeding. *Journal of Human Lactation*, 29(4), 458-464. doi: 10.1177/0890334413491325
- Kumar, M., & Kalke, E. (2012). Tongue-tie, breastfeeding difficulties and the role of Frenotomy. *Acta paediatrica*, 101(7), 687-689. doi: 10.1111/j.1651-2227.2012.02661.x
- Kupietzky, A., & Botzer, E. (2005). Ankyloglossia in the infant and young child: clinical suggestions for diagnosis and management. *Pediatric dentistry*, 27(1), 40-46.

- Lalakea, M. L., & Messner, A. H. (2003). Ankyloglossia: does it matter? [Review]. *Pediatric clinics of North America*, 50(2), 381-397.
- Lalakea, M. L., & Messner, A. H. (2003). Ankyloglossia: the adolescent and adult perspective. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery*, 128(5), 746-752.
- Lamba, A. K., Aggarwal, K., Faraz, F., Tandon, S., & Chawla, K. (2015). Er, Cr:YSGG laser for the treatment of ankyloglossia. *Indian J Dent*, 6(3), 149-152. doi: 10.4103/0975-962X.163049
- Larjava, H. (2012). *Oral wound healing : cell biology and clinical management*. Chichester, West Sussex, UK: Wiley-Blackwell.
- Larsson, B. A. (2001). [Pain and pain relief during the neonatal period. Early pain experiences can result in negative late-effects]. [Review]. *Lakartidningen*, 98(14), 1656-1662.
- Lau, J. T., & Ong, G. B. (1983). A grooved table-spoon for tongue-tie release and hernial neck transfixion. *The Australian and New Zealand journal of surgery*, 53(1), 61-62.
- Lazzati, M., Castoldi, A., Carloni, L., & Raso, M. (1989). [Frenulectomy for ankyloglossia]. *Attualita dentale*, 5(4), 21-22, 27-29.
- Lee, H. G., & Eun, H. C. (1999). Differences between fibroblasts cultured from oral mucosa and normal skin: implication to wound healing. *J Dermatol Sci*, 21(3), 176-182.
- Lee, N. (2011). *Complementary & Alternative Medicine in Breastfeeding Therapy*. Amarillo, Texas: Hale Publishing.
- Lee, S. K., Kim, Y. S., & Lim, C. Y. (1989). [A pathological consideration of ankyloglossia and lingual myoplasty]. *Taehan Ch'ikkwa Uisa Hyophoe chi*, 27(3), 287-308.
- Lehr, J., Masters, A., & Pollack, B. (2012). Benzocaine-induced methemoglobinemia in the pediatric population. [Review]. *J Pediatr Nurs*, 27(5), 583-588. doi: 10.1016/j.pedn.2012.07.003
- Levene, M. (1995). Pain relief and sedation during neonatal intensive care. *European journal of pediatrics*, 154(8 Suppl 3), S22-23.
- Li, C. (2009). A new syndrome of ankyloglossia and ulnar ray defects in a Newfoundland kindred. [Case Reports]. *Clinical dysmorphology*, 18(3), 158-159. doi: 10.1097/MCD.0b013e328324440d
- Li, F., Huang, Q., Chen, J., Peng, Y., Roop, D. R., Bedford, J. S., & Li, C. Y. (2010). Apoptotic cells activate the "phoenix rising" pathway to promote wound healing and tissue regeneration. [Research Support, N.I.H., Extramural Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, Non-P.H.S.]. *Sci Signal*, 3(110), ra13. doi: 10.1126/scisignal.2000634
- Li, H. M., Kang, B., Lin, J. B., Huang, J. Y., & Lin, L. E. (2005). [Use of Z plasty for ankyloglossia: report of 38 cases]. *Shanghai kou qiang yi xue = Shanghai journal of stomatology*, 14(2), 203-204.
- Lomcali, G. (1987). Ankyloglossia (a case report). [Case Reports]. *Dent, contemporary dentistry*, 2(3), 124-127.
- Lynch, S. E., de Castilla, G. R., Williams, R. C., Kiritsy, C. P., Howell, T. H., Reddy, M. S., & Antoniadis, H. N. (1991). The effects of short-term application of a combination of platelet-derived and insulin-like growth factors on periodontal wound healing. [Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *Journal of periodontology*, 62(7), 458-467. doi: 10.1902/jop.1991.62.7.458

- Madeira, A. A. (1976). [Contribution to the study of the frenulectomy in patients with ankyloglossia (author's transl)]. *Revista catarinense de odontologia*, 3(1), 35-41.
- Maffioli, G. (1968). [On several cases of "lingua fraenata" or ankyloglossia]. *Rassegna trimestrale di odontoiatria*, 49(4), 403-411.
- Manfro, A. R., Manfro, R., & Bortoluzzi, M. C. (2010). Surgical treatment of ankyloglossia in babies--case report. [Case Reports]. *International journal of oral and maxillofacial surgery*, 39(11), 1130-1132. doi: 10.1016/j.ijom.2010.06.007
- Marden, P. M. (1966). The syndrome of ankyloglossia superior. [Case Reports]. *Minnesota medicine*, 49(8), 1223-1225.
- Marmet, C., Shell, E., & Aldana, S. (2000). Assessing infant suck dysfunction: case management. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 16(4), 332-336.
- Marmet, C., Shell, E., & Marmet, R. (1990). Neonatal frenotomy may be necessary to correct breastfeeding problems. [Review]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 117-121.
- Martinelli, R. L. d. C., Marchesan, I. Q., Gusmão, R. J., Rodrigues, A. d. C., & Berretin-Felix, G. (2014). Histological Characteristics of Altered Human Lingual Frenulum. *International Journal of Pediatrics and Child Health*, 2(1), 5-9.
- Marucha, P. T., Kiecolt-Glaser, J. K., & Favagehi, M. (1998). Mucosal wound healing is impaired by examination stress. *Psychosomatic Medicine*, 60(3), 362-365.
- Masignani, M. (1968). [Experimental studies on ankyloglossia]. *Rivista italiana di stomatologia*, 23(11), 1699-1712.
- May, H., & Chun, L. T. (1948). Congenital ankyloglossia associated with glossoptosis and palatum fissum. *Pediatrics*, 2(6), 685-687.
- McBride, C. (2005). Tongue-tie. [Comment Editorial]. *Journal of paediatrics and child health*, 41(5-6), 242. doi: 10.1111/j.1440-1754.2005.00681.x
- McDaniel, J. C., Massey, K., & Nicolaou, A. (2011). Fish oil supplementation alters levels of lipid mediators of inflammation in microenvironment of acute human wounds. [Randomized Controlled Trial Research Support, Non-U.S. Gov't]. *Wound Repair Regen*, 19(2), 189-200. doi: 10.1111/j.1524-475X.2010.00659.x
- Meenakshi, S., & Jagannathan, N. (2014). Assessment of lingual frenulum lengths in skeletal malocclusion. *J Clin Diagn Res*, 8(3), 202-204. doi: 10.7860/JCDR/2014/7079.4162
- Merdad, H., & Mascarenhas, A. K. (2010). Ankyloglossia may cause breastfeeding, tongue mobility, and speech difficulties, with inconclusive results on treatment choices. [Comment]. *The journal of evidence-based dental practice*, 10(3), 152-153. doi: 10.1016/j.jebdp.2010.05.009
- Messner, A. H., & Lalakea, M. L. (2000). Ankyloglossia: controversies in management. [Comparative Study]. *International journal of pediatric otorhinolaryngology*, 54(2-3), 123-131.
- Messner, A. H., & Lalakea, M. L. (2002). The effect of ankyloglossia on speech in children. [Comparative Study]. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery*, 127(6), 539-545. doi: 10.1067/mhn.2002.1298231
- Messner, A. H., Lalakea, M. L., Aby, J., Macmahon, J., & Bair, E. (2000). Ankyloglossia: incidence and associated feeding difficulties. *Archives of otolaryngology--head & neck surgery*, 126(1), 36-39.

- Mettias, B., O'Brien, R., Abo Khatwa, M. M., Nasrallah, L., & Doddi, M. (2013). Division of tongue tie as an outpatient procedure. Technique, efficacy and safety. *International journal of pediatric otorhinolaryngology*, 77(4), 550-552. doi: 10.1016/j.ijporl.2013.01.003
- Micozzi, M. S. (2011). *Fundamentals of Complementary and Alternative Medicine* (4th ed.). St. Louis, Mo.: Saunders/Elsevier.
- Minami, K., Sugahara, T., Mori, Y., & Mishima, K. (1995). Ankyloglossia superior: report of a case. [Case Reports]. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*, 53(5), 588-589.
- Miranda, B. H., & Milroy, C. J. (2010). A quick snip - A study of the impact of outpatient tongue tie release on neonatal growth and breastfeeding. [Case Reports]. *Journal of plastic, reconstructive & aesthetic surgery : JPRAS*, 63(9), e683-685. doi: 10.1016/j.bjps.2010.04.003
- Miyano, K. (1961). [An experimental study of rhotacism which was caused by a tongue-tie--sonographic analysis]. *Jibi inkoka Otolaryngology*, 33, 499-501.
- Moore, G. E., Williamson, R., Jensson, O., Chambers, J., Takakubo, F., Newton, R., . . . Ivens, A. (1991). Localization of a mutant gene for cleft palate and ankyloglossia in an X-linked Icelandic family. [Research Support, Non-U.S. Gov't]. *Journal of craniofacial genetics and developmental biology*, 11(4), 372-376.
- Moore, T. E. (2001). The M and M's of aloe vera--is it for dentistry? [Historical Article]. *J Okla Dent Assoc*, 91(3), 30-31, 36.
- Moos, D. D., & Cuddeford, J. D. (2007). Methemoglobinemia and benzocaine. [Review]. *Gastroenterol Nurs*, 30(5), 342-345; quiz 346-347. doi: 10.1097/01.SGA.0000296253.78457.f4
- Morita, H., Mazerbourg, S., Bouley, D. M., Luo, C. W., Kawamura, K., Kuwabara, Y., . . . Hsueh, A. J. (2004). Neonatal lethality of LGR5 null mice is associated with ankyloglossia and gastrointestinal distension. [Research Support, U.S. Gov't, P.H.S.]. *Molecular and cellular biology*, 24(22), 9736-9743. doi: 10.1128/MCB.24.22.9736-9743.2004
- Morowati, S., Yasini, M., Ranjbar, R., Peivandi, A. A., & Ghadami, M. (2010). Familial ankyloglossia (tongue-tie): a case report. [Case Reports]. *Acta medica Iranica*, 48(2), 123-124.
- Mortellaro, C., Picciolo, G., & Cucinotta, C. (1990). [Incidence of scrotal tongue, median rhomboid glossitis, ankyloglossia and macroglossia in 600 orthodontic patients]. *Minerva ortognatodontica*, 8(4), 259-262.
- Moskowitz, R. (1992). *Homeopathic Medicines for Pregnancy and Childbirth*. Berkeley, Calif.: North Atlantic Books ; Homeopathic Educational Services.
- Mukai, S., Mukai, C., & Asaoka, K. (1991). Ankyloglossia with deviation of the epiglottis and larynx. [Review]. *The Annals of otology, rhinology & laryngology. Supplement*, 153, 3-20.
- Mukai, S., Mukai, C., & Asaoka, K. (1993). Congenital ankyloglossia with deviation of the epiglottis and larynx: symptoms and respiratory function in adults. *The Annals of otology, rhinology, and laryngology*, 102(8 Pt 1), 620-624.
- Nabeyama, H., T, I. M., Nakayama, Y., Ikegami, N., & Nishijima, K. (1985). [Clinical and statistical studies on ankyloglossia from the Department of Oral and Maxillofacial

- Surgery, Okayama University Hospital, during the past 10 years]. *Shoni shikagaku zasshi. The Japanese journal of pedodontics*, 23(3), 740-744.
- Nagai, I., Fukaya, M., Tsuge, S., Satoh, H., Watanabe, K., Terashima, Y., . . . Hattori, M. (1977). [Speech pathology research on ankyloglossia]. *Aichi Gakuin Daigaku Shigakkai shi*, 14(4), 381-385.
- Naimer, S. A., Biton, A., Vardy, D., & Zvulunov, A. (2003). Office treatment of congenital ankyloglossia. *Medical science monitor : international medical journal of experimental and clinical research*, 9(10), CR432-435.
- Narang, T., De, D., & Kanwar, A. J. (2008). Riga-Fede disease: trauma due to teeth or tongue tie? [Case Reports Letter]. *Journal of the European Academy of Dermatology and Venereology : JEADV*, 22(3), 395-396. doi: 10.1111/j.1468-3083.2007.02347.x
- Nicholson, W. L. (1991). Tongue-tie (ankyloglossia) associated with breastfeeding problems. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 7(2), 82-84.
- Nishi, M. (1969). [Statistical and clinical studies on ankyloglossia]. *Igaku kenkyu. Acta medica*, 39(1), 35-57.
- Nitta, M., Mukai, S., & Mukai, C. (2000). The expansion of the hypopharynx by correction of glosso-larynx. *Psychiatry Clin Neurosci*, 54(3), 344-345. doi: 10.1046/j.1440-1819.2000.00707.x
- Notestine, G. E. (1990). The importance of the identification of ankyloglossia (short lingual frenulum) as a cause of breastfeeding problems. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 113-115.
- O'Callahan, C., Macary, S., & Clemente, S. (2013). The effects of office-based frenotomy for anterior and posterior ankyloglossia on breastfeeding. *International journal of pediatric otorhinolaryngology*, 77(5), 827-832. doi: http://dx.doi.org/10.1016/j.ijporl.2013.02.022
- Obladen, M. (2010). Much ado about nothing: two millenia of controversy on tongue-tie. [Historical Article]. *Neonatology*, 97(2), 83-89. doi: 10.1159/000235682
- Oredsson, J., & Torngren, A. (2010). [Frenotomy in children with ankyloglossia and breastfeeding problems. A simple method seems to render good results]. *Lakartidningen*, 107(10), 676-678.
- Ostapiuk, B. (2006). [Tongue mobility in ankyloglossia with regard to articulation]. [Review]. *Annales Academiae Medicae Stetinensis*, 52 Suppl 3, 37-47.
- Palmer, M. (2013). *NOMAS Certification Course*. Paper presented at the NOMAS Certification Course, Walnut Creek, California.
- Parente, L. M., Lino Junior Rde, S., Tresvenzol, L. M., Vinaud, M. C., de Paula, J. R., & Paulo, N. M. (2012). Wound Healing and Anti-Inflammatory Effect in Animal Models of *Calendula officinalis* L. Growing in Brazil. *Evid Based Complement Alternat Med*, 2012, 375671. doi: 10.1155/2012/375671
- Patterson, G. T., Ramasastry, S. S., & Davis, J. U. (1988). Macroglossia and ankyloglossia in Beckwith-Wiedemann syndrome. [Case Reports]. *Oral surgery, oral medicine, and oral pathology*, 65(1), 29-31.
- Pauws, E., Moore, G. E., & Stanier, P. (2009). A functional haplotype variant in the TBX22 promoter is associated with cleft palate and ankyloglossia. [Letter Research Support, Non-U.S. Gov't]. *Journal of medical genetics*, 46(8), 555-561. doi: 10.1136/jmg.2009.066902

- Pedersen, A. M., Bardow, A., Jensen, S. B., & Nauntofte, B. (2002). Saliva and gastrointestinal functions of taste, mastication, swallowing and digestion. [Review]. *Oral diseases*, 8(3), 117-129.
- Peirsman, E. a. N. (2006). *Craniosacral Therapy for Babies and Small Children*. Berkeley, California: North Atlantic books.
- Plummer, R. N. (1956). Tongue tie speech. *Arizona medicine*, 13(4), 139.
- Preethi, K. C., & Kuttan, R. (2009). Wound healing activity of flower extract of *Calendula officinalis*. [Research Support, Non-U.S. Gov't]. *Journal of basic and clinical physiology and pharmacology*, 20(1), 73-79.
- Prestes, A. C., Guinsburg, R., Balda, R. C., Marba, S. T., Rugolo, L. M., Pachi, P. R., & Bentlin, M. R. (2005). [The frequency of pharmacological pain relief in university neonatal intensive care units]. [Multicenter Study]. *Jornal de pediatria*, 81(5), 405-410. doi: 10.2223/JPED.1392
- Professionals, I. A. o. T. T. (2014) Retrieved 1/30/15, 2015, from <http://tonguetieprofessionals.org/faq/>
- Puapornpong, P., Raungrongmorakot, K., Mahasitthiwat, V., & Ketsuwan, S. (2014). Comparisons of the latching on between newborns with tongue-tie and normal newborns. [Research Support, Non-U S Gov't]. *Journal of the Medical Association of Thailand = Chotmaihet thangphaet*, 97(3), 255-259.
- Quality, A. f. H. R. a. (2015). *Treatments for Ankyloglossia and Ankyloglossia With Concomitant Lip-Tie*. (164). Retrieved from <http://effectivehealthcare.ahrq.gov/>.
- Rennix, C., Manjunatha, C. M., & Ibhanebhor, S. E. (2004). Pain relief during common neonatal procedures: a survey. [Letter]. *Archives of disease in childhood. Fetal and neonatal edition*, 89(6), F563. doi: 10.1136/adc.2003.045351
- Reychler, A., & Desmedt, P. (1968). [Ankyloglossia]. *Revue de stomatologie et de chirurgie maxillo-faciale*, 69(1), 49-54.
- Ribeiro, L. M., Castral, T. C., Montanholi, L. L., Dare, M. F., Silva, A. C., Antonini, S. R., & Scochi, C. G. (2013). [Human milk for neonatal pain relief during ophthalmoscopy]. *Rev Esc Enferm USP*, 47(5), 1039-1045. doi: 10.1590/S0080-623420130000500005
- Ricke, L. A., Baker, N. J., Madlon-Kay, D. J., & DeFor, T. A. (2005). Newborn tongue-tie: prevalence and effect on breast-feeding. [Research Support, Non-U.S. Gov't]. *The Journal of the American Board of Family Practice / American Board of Family Practice*, 18(1), 1-7.
- Riordan, J., Gross, A., Angeron, J., Krumwiede, B., & Melin, J. (2000). The effect of labor pain relief medication on neonatal suckling and breastfeeding duration. [Research Support, Non-U.S. Gov't]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 16(1), 7-12.
- Rogers, J. G., & Douglas, B. L. (1952). Surgical correction of ankyloglossia. *United States Armed Forces medical journal*, 3(5), 695-697.
- Rosenhouse, L. (1976). Tongue-tie that office gossip. *Tic*, 35(6), 10.
- Ruffoli, R., Giambelluca, M. A., Scavuzzo, M. C., Bonfigli, D., Cristofani, R., Gabriele, M., . . . Giannesi, F. (2005). Ankyloglossia: a morphofunctional investigation in children. *Oral diseases*, 11(3), 170-174. doi: 10.1111/j.1601-0825.2005.01108.x
- Saleh, H. A., Cain, A. J., & Mountain, R. E. (1999). Bipolar scissor division of tongue-tie under tubeless anesthesia. *The Laryngoscope*, 109(5), 838-839.

- Salo, T., Makela, M., Kylmaniemi, M., Autio-Harmanen, H., & Larjava, H. (1994). Expression of matrix metalloproteinase-2 and -9 during early human wound healing. [Research Support, Non-U.S. Gov't]. *Lab Invest*, 70(2), 176-182.
- Saniski, D. (2005). Neonatal pain relief protocols in their infancy. *Nebr Nurse*, 38(2), 24.
- Sarin, Y. K., Zaffar, M., & Sharma, A. K. (1992). Tongue-tie: myths and truths. [Letter]. *Indian pediatrics*, 29(12), 1585-1586.
- Sato, T., Iida, M., & Yamaguchi, Y. (1983). A family with hereditary ankyloglossia complicated by heterochromia irides and a congenital clasped thumb. [Case Reports]. *International journal of oral surgery*, 12(5), 359-362.
- Saxena, K. N., Nischal, H., Bhardwaj, M., Gaba, P., & Shastry, B. V. (2008). Right molar approach to tracheal intubation in a child with Pierre Robin syndrome, cleft palate, and tongue tie. [Case Reports Letter]. *British journal of anaesthesia*, 100(1), 141-142. doi: 10.1093/bja/aem359
- Segal, L. M., Stephenson, R., Dawes, M., & Feldman, P. (2007). Prevalence, diagnosis, and treatment of ankyloglossia: methodologic review. [Research Support, Non-U.S. Gov't Review]. *Canadian family physician Medecin de famille canadien*, 53(6), 1027-1033.
- Shepherd, A. A. (2003). Nutrition for optimum wound healing. [Review]. *Nurs Stand*, 18(6), 55-58.
- Sherman, A. R., & Barkley, M. (2011). Nutrition and wound healing. *J Wound Care*, 20(8), 357-358, 360, 362-357.
- Shin, T. M., & Bordeaux, J. S. (2012). The role of massage in scar management: a literature review. [Review]. *Dermatol Surg*, 38(3), 414-423. doi: 10.1111/j.1524-4725.2011.02201.x
- So, T. Y., & Farrington, E. (2008). Topical benzocaine-induced methemoglobinemia in the pediatric population. [Case Reports]. *Journal of pediatric health care : official publication of National Association of Pediatric Nurse Associates & Practitioners*, 22(6), 335-339; quiz 340-331. doi: 10.1016/j.pedhc.2008.08.008
- Soletto Martin, J., Alonso Banuelos, C., & Martin Sanz, L. (1983). [Superior ankyloglossia]. [Case Reports]. *Anales espanoles de pediatria*, 18(4), 301-305.
- Spitzer, R. (1960). Partial ankyloglossia. Report of a case. *Oral surgery, oral medicine, and oral pathology*, 13, 787-790.
- Srinivasan, A., Dobrich, C., Mitnick, H., & Feldman, P. (2006). Ankyloglossia in breastfeeding infants: the effect of frenotomy on maternal nipple pain and latch. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, 1(4), 216-224. doi: 10.1089/bfm.2006.1.216
- Stampar-Plasaj, B., Erak, P., Rittermann, V., & Valjak, B. (1969). [Ankyloglossia superior congenita]. *Radovi Medicinskog faculteta u Zagrebu*, 17(3), 217-225.
- Stanier, P., Forbes, S. A., Arnason, A., Bjornsson, A., Sveinbjornsdottir, E., Williamson, R., & Moore, G. (1993). The localization of a gene causing X-linked cleft palate and ankyloglossia (CPX) in an Icelandic kindred is between DXS326 and DXYS1X. [Research Support, Non-U.S. Gov't]. *Genomics*, 17(3), 549-555. doi: 10.1006/geno.1993.1370
- Stevinson, C., Devaraj, V. S., Fountain-Barber, A., Hawkins, S., & Ernst, E. (2003). Homeopathic arnica for prevention of pain and bruising: randomized placebo-controlled trial in hand surgery. [Clinical Trial Randomized Controlled Trial Research Support, Non-U S Gov't]. *Journal of the Royal Society of Medicine*, 96(2), 60-65.

- Stevinson, C., Devaraj, V. S., Fountain-Barber, A., Hawkins, S., & Ernst, E. (2003). Homeopathic arnica for prevention of pain and bruising: randomized placebo-controlled trial in hand surgery. [Clinical Trial Randomized Controlled Trial Research Support, Non-U S Gov't]. *Journal of the Royal Society of Medicine*, 96(2), 60-65.
- Stillerman, E. (2009). C-section scar massage. *Midwifery today with international midwife*(92), 29, 64-25.
- Suter, V. G., & Bornstein, M. M. (2009). Ankyloglossia: facts and myths in diagnosis and treatment. [Review]. *Journal of periodontology*, 80(8), 1204-1219. doi: 10.1902/jop.2009.090086
- Szpaderska, A. M., Zuckerman, J. D., & DiPietro, L. A. (2003). Differential injury responses in oral mucosal and cutaneous wounds. [Comparative Study Research Support, U.S. Gov't, P.H.S.]. *Journal of dental research*, 82(8), 621-626.
- Tanideh, N., Tavakoli, P., Saghiri, M. A., Garcia-Godoy, F., Amanat, D., Tadbir, A. A., . . . Tamadon, A. (2013). Healing acceleration in hamsters of oral mucositis induced by 5-fluorouracil with topical *Calendula officinalis*. [Comparative Study]. *Oral Surg Oral Med Oral Pathol Oral Radiol*, 115(3), 332-338. doi: 10.1016/j.oooo.2012.08.450
- Tanpaiboon, P., Kantaputra, P., Wejathikul, K., & Piyamongkol, W. (2010). c. 595-596 insC of FOXC2 underlies lymphedema, distichiasis, ptosis, ankyloglossia, and Robin sequence in a Thai patient. [Case Reports]. *American journal of medical genetics. Part A*, 152A(3), 737-740. doi: 10.1002/ajmg.a.33273
- Temizsoylu, M. D., & Avki, S. (2003). Complete ventral ankyloglossia in three related dogs. [Case Reports Research Support, Non-U.S. Gov't]. *Journal of the American Veterinary Medical Association*, 223(10), 1443-1445, 1433.
- Tohill, J., & McMorrow, O. (1990). Pain relief in neonatal intensive care. [Letter]. *Lancet*, 336(8714), 569.
- Tsao, J. C., & Zeltzer, L. K. (2005). Complementary and Alternative Medicine Approaches for Pediatric Pain: A Review of the State-of-the-science. *Evid Based Complement Alternat Med*, 2(2), 149-159. doi: 10.1093/ecam/neh092
- Tuli, A., & Singh, A. (2010). Monopolar diathermy used for correction of ankyloglossia. [Case Reports]. *Journal of the Indian Society of Pedodontics and Preventive Dentistry*, 28(2), 130-133. doi: 10.4103/0970-4388.66757
- Van Daele, C., Leroy, J. G., De Simpel, H., Poffijn, A., & Vanclooster, R. (1988). [Ankyloglossia superior syndrome: personal case report]. [Case Reports]. *Acta stomatologica Belgica*, 85(3), 217-224.
- Velanovich, V. (1994). The transverse-vertical frenuloplasty for ankyloglossia. *Military medicine*, 159(11), 714-715.
- Walker, D. G. (1954). Nutrition in oral surgery and its relationship to wound healing and infection. *Oral surgery, oral medicine, and oral pathology*, 7(8), 797-812.
- Wallace, A. F. (1963). Tongue Tie. *Lancet*, 2(7304), 377-378.
- Wallace, A. F. (1964). The Tongue-Tie Controversy. *Nursing times*, 60, 527-528.
- Wallace, H., & Clarke, S. (2006). Tongue tie division in infants with breast feeding difficulties. *International journal of pediatric otorhinolaryngology*, 70(7), 1257-1261. doi: 10.1016/j.ijporl.2006.01.004
- Walls, A., Pierce, M., Wang, H., Steehler, A., Steehler, M., & Harley Jr, E. H. (2014). Parental perception of speech and tongue mobility in three-year olds after neonatal frenotomy.

- International journal of pediatric otorhinolaryngology*, 78(1), 128-131. doi: <http://dx.doi.org/10.1016/j.ijporl.2013.11.006>
- Ward, N. (1990). Ankyloglossia: a case study in which clipping was not necessary. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 126-127.
- Warden, P. J. (1991). Ankyloglossia: a review of the literature. [Review]. *General dentistry*, 39(4), 252-253.
- Warnock, F. F., Castral, T. C., Brant, R., Sekilian, M., Leite, A. M., Owens Sde, L., & Scochi, C. G. (2010). Brief report: Maternal kangaroo care for neonatal pain relief: a systematic narrative review. [Research Support, Non-U.S. Gov't Review]. *J Pediatr Psychol*, 35(9), 975-984. doi: 10.1093/jpepsy/jsp123
- Webb, A. N., Hao, W., & Hong, P. (2013). The effect of tongue-tie division on breastfeeding and speech articulation: a systematic review. *International journal of pediatric otorhinolaryngology*, 77(5), 635-646. doi: 10.1016/j.ijporl.2013.03.008
- West, Z. (2008). *Acupuncture in Pregnancy and Childbirth* (2nd ed.). Edinburgh ; New York: Churchill Livingstone/Elsevier.
- Williams, W. N., & Waldron, C. M. (1985). Assessment of lingual function when ankyloglossia (tongue-tie) is suspected. *Journal of the American Dental Association*, 110(3), 353-356.
- Wilson-Clay, B. (2006). Prejudice against test weighing, like tongue-tie division, should be reassessed. [Comment Letter]. *Archives of disease in childhood*, 91(12), 1042.
- Wolf, L. S., & Glass, R. P. (1992). *Feeding and swallowing disorders in infancy : assessment and management*. Tucson, Ariz.: Therapy Skill Builders.
- Wong, J. W., Gallant-Behm, C., Wiebe, C., Mak, K., Hart, D. A., Larjava, H., & Hakkinen, L. (2009). Wound healing in oral mucosa results in reduced scar formation as compared with skin: evidence from the red Duroc pig model and humans. [Comparative Study Research Support, Non-U.S. Gov't Validation Studies]. *Wound Repair Regen*, 17(5), 717-729. doi: 10.1111/j.1524-475X.2009.00531.x
- Wright, J. E. (1995). Tongue-tie. [Review]. *Journal of paediatrics and child health*, 31(4), 276-278.
- Yawman, D., Howard, C. R., Auinger, P., Garfunkel, L. C., Allan, M., & Weitzman, M. (2006). Pain relief for neonatal circumcision: a follow-up of residency training practices. [Research Support, Non-U.S. Gov't]. *Ambul Pediatr*, 6(4), 210-214. doi: 10.1016/j.ambp.2006.04.008
- Yeh, M. L. (2008). Outpatient division of tongue-tie without anesthesia in infants and children. *World journal of pediatrics : WJP*, 4(2), 106-108. doi: 10.1007/s12519-008-0020-z
- Yoel, J. (1976). [Tongue tie and speech disorders]. [Case Reports Clinical Trial]. *La Tribuna odontologica*, 60(7-9), 195-196, 198, 200 passim.
- Young, E. C., & Sacks, G. K. (1979). Examining for tongue tie. *Clinical pediatrics*, 18(5), 298.